

## **S7- / S7Z-Window\***

Art. 1354 = S7-Fixed Window

Art. 1355 = S7-Top Hung Window (Multi Locking System)

Art. 1356 = S7Z-Top Hung Window (Central Locking System)

Art. 1357 = S7-Sliding Window (right hand)

Art. 1358 = S7-Sliding Window (left hand)

Art. 1413 = S7P-Top hung window (flat outer pane)

### Content

Ordering Details S7-Top Hung- / Sliding Window

Ordering Details S7Z-Top Hung Window

Dimensions S7-Window

Dimensions S7Z-Window

Technical Drawings S7- Top Hung and Fixed Window

Technical Drawings S7Z- Top Hung Window

Technical Drawings S7- Sliding Window

Technical Drawings S7P- Top Hung Window

Spare Parts Top Hung Window S7 (until 2002)

Spare Parts Top Hung Window S7 (from 2003 on)

Spare Parts Top Hung Window S7Z

Spare Parts Sliding Window

Spare Parts Top Hung Window S7P

\* = only for manufacturers

# Ordering Details S7 - Window\*

- Type:**
- Art. 1355 S7 Top hung window with standard locking system
  - Art. 1357 S7 Sliding window on right hand in driving direction
  - Art. 1358 S7 Sliding window on left hand in driving direction
  - Art. 1354 S7 Fixed Window
  - Art. 1413 S7P Top hung Window (flat outer pane)

- Glass:**
- grey (059)
  - dark grey (013)
  - dark (079)

**Wall thickness:** \_\_\_\_\_ mm (min. 22 mm – max. 44 mm)

**Ordering sizes:** Width: \_\_\_\_\_ mm \*\*

Height: \_\_\_\_\_ mm \*\*

- Colour frame:**
- RAL9007
  - NCS 7000N

- Please use separate Ordering details for (blinds)**
- Komfortrollo** (Interior cover profile not necessary in connection with Komfortrollo)
  - Softrollo** (not possible in combination with sliding window for wall thickness less than 35 mm, for wall thickness of approx. 35-40mm a base is necessary, installation test necessary)

Interior cover profile  yes  no

Interior aluminium cover frame  yes  no

**Customer:** \_\_\_\_\_ **Part No. Customer:** \_\_\_\_\_

**Remarks:** \_\_\_\_\_

**Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

\* = only for manufacturers

\*\* = available sizes see "Dimensions list" page 4/11

# Ordering Details S7Z - Window\*

**Type:**  Art. 1356 S7Z Top hung window with central locking system

**Glass:**  grey (059)  dark grey (013)  dark (079)

**Wall thickness:** \_\_\_\_\_ mm (min. 28 mm – max. 50 mm)

**Ordering sizes:** Width: \_\_\_\_\_ mm \*\*

Height: \_\_\_\_\_ mm \*\*

**Colour frame:**  RAL9007  NCS 7000N

**Please use separate Ordering details for (blinds)**  **Komfortrollo** (Interior cover profile not necessary in connection with Komfortrollo)

**Softrollo** (not possible in combination with S7Z for wall thickness less than 35 mm, for wall thickness of approx. 35-40mm a base is necessary, installation test necessary)

Interior cover profile  yes  no

Interior aluminium cover frame  yes  no

**Customer:** \_\_\_\_\_ **Part No. Customer:** \_\_\_\_\_

**Remarks:** \_\_\_\_\_  
\_\_\_\_\_

**Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

\* = only for manufacturers

\*\* = available sizes see "Dimensions list" page 5/11

# Dimension S7- and S7P-Window \*

Ordering Size = Aperture Size  Width x Height mm	S7 Top Hung Window Acrylic (Standard Locking System)	S7 Sliding Window Acrylic	S7 Fixed Window Acrylic	S7P Top Hung Window Acrylic (flat outer pane)	Total Dimension  Width x Height mm	Top Hung Window Clearance  Width x Height mm	Dimension Glazing Pane  Width x Height mm	Opening Angle in °	approx. Weight in kg
250 x 510	x				278 x 538	200 x 460	225 x 489	60	1,9
300 x 450**	x		x		328 x 478	250 x 400	275 x 429	65	1,9
370 x 550	x		x		398 x 578	320 x 500	345 x 529	72	2,6
450 x 510	x				478 x 538	400 x 460	425 x 489	78	2,7
500 x 300	x				528 x 328	450 x 250	475 x 279	32	2,0
500 x 400	x	x		x	528 x 428	450 x 350	475 x 379	48	2,5
510 x 510	x			x	538 x 538	460 x 460	485 x 489	65	3,0
600 x 510**	x				628 x 538	550 x 460	575 x 489	58	3,4
600 x 700				x	628 x 728	550 x 650	575 x 489	71	3,8
650 x 300	x				678 x 328	600 x 250	625 x 279	32	2,5
650 x 450	x				678 x 478	600 x 400	625 x 429	65	
700 x 350	x			x	728 x 378	650 x 300	675 x 329	24	3,0
700 x 500	x	x			728 x 528	650 x 450	675 x 479	78	3,8
700 x 510				x	728 x 538	650 x 460	675 x 489	63	3,8
700 x 900				x	728 x 928	650 x 850	675 x 879	40	5,8
800 x 400	x			x	828 x 428	750 x 350	775 x 379	48	3,8
800 x 450	x			x	828 x 478	750 x 400	775 x 429	65	4,0
800 x 510	x	x		x	828 x 538	750 x 460	775 x 489	57	4,4
900 x 450	x	x			928 x 478	850 x 400	875 x 429	65	4,4
900 x 500	x			x	928 x 528	850 x 450	875 x 479	63	4,8
900 x 550		x			928 x 578	850 x 500	875 x 529	81	4,8
900 x 600	x	x			928 x 628	850 x 550	875 x 579	70	5,4
900 x 700***		x			928 x 728	850 x 650	875 x 679		5,8
1000 x 450**					1028 x 478	950 x 400	975 x 429	66	4,8
1000 x 510	x			x	1028 x 538	950 x 460	975 x 489	60	5,3
1000 x 600**	x				1028 x 628	950 x 550	975 x 579	69	6,1
1100 x 350	X		x		1128 x 378	1050 x 300	1075 x 329	35	4,5
1100 x 600***		x			1128 x 628	1050 x 550	1075 x 579		6,5
1200 x 300	x				1228 x 328	1150 x 250	1175 x 279	32	4,6
1200 x 600				x	1228 x 628	1150 x 550	1175 x 579	65	7,0
1300 x 510	x			x	1328 x 538	1250 x 460	1275 x 489	62	7,5
1300 x 600**	x				1328 x 628	1250 x 550	1275 x 579	70	7,7
1400 x 600***		x			1428 x 628	1350 x 550	1375 x 579		8,0
1450 x 550	x				1478 x 578	1400 x 500	1425 x 529	72	8,0

Aperture radius 75 mm

\* = only for manufacturers

\*\* = with Radius 9000 mm available

\*\*\* = total size sliding window -5mm

# Dimension S7Z-Windows


Ordering Size = Aperture Size Width x Height mm	Top Hung Window Acrylic Central Locking System	Total Dimension Width x Height mm	Top Hung Window Clearance Width x Height mm	Dimension Glazing Pane Width x Height mm	approx. Weight in kg
250 x 510	x	278 x 538	200 x 460	225 x 489	
300 x 450	x	328 x 478	250 x 400	275 x 429	1,90
370 x 550	x	398 x 578	320 x 500	345 x 529	2,70
400 x 500	x	428 x 528	350 x 450	375 x 479	2,50
400 x 650	x	428 x 678	350 x 600	375 x 629	3,10
450 x 510	x	478 x 538	400 x 460	425 x 489	2,80
500 x 400	x	528 x 428	450 x 350	475 x 379	2,50
510 x 510	x	538 x 538	460 x 460	485 x 489	3,00
550 x 600	x	578 x 628	500 x 550	525 x 579	3,60
600 x 510	x	628 x 538	550 x 460	575 x 489	3,50
600 x 730	x	628 x 758	550 x 680	575 x 709	4,40
650 x 300	x	678 x 328	600 x 250	625 x 279	2,50
650 x 400	x	678 x 428	600 x 350	625 x 379	3,10
650 x 450	x	678 x 478	600 x 400	625 x 429	
700 x 500	x	728 x 528	650 x 450	675 x 479	3,70
800 x 400	x	828 x 428	750 x 350	775 x 379	3,70
800 x 450	x	828 x 478	750 x 400	775 x 429	4,10
800 x 510	x	828 x 538	750 x 460	775 x 489	4,50
900 x 450	x	928 x 478	850 x 400	875 x 429	4,40
900 x 600	x	928 x 628	850 x 550	875 x 579	5,40
900 x 700	x	928 x 728	850 x 650	875 x 679	6,00
1000 x 300	x	1028 x 328	950 x 250	975 x 279	3,70
1000 x 510	x	1028 x 538	950 x 460	975 x 489	5,30
1000 x 600	x	1028 x 628	950 x 550	975 x 579	6,10
1100 x 350	x	1128 x 378	1050 x 300	1075 x 329	4,50
1100 x 600	x	1128 x 628	1050 x 550	1075 x 579	6,50
1200 x 450	x	1228 x 478	1150 x 400	1175 x 429	5,80
1300 x 510	x	1328 x 538	1250 x 460	1275 x 489	6,80
1300 x 600	x	1328 x 628	1250 x 550	1275 x 579	7,70
1300 x 700	x	1328 x 728	1250 x 650	1275 x 679	8,40
1400 x 600	x	1428 x 628	1350 x 550	1375 x 579	8,40

Aperture radius 75 mm

\* = only for manufacturers

# Technical Drawing S7 (Top Hung / Fixed)\*


Art. 1354, 1355



\* = only for manufacturers

# Technical Drawing S7Z (Top Hung)\*


## Art. 1356



\* = only for manufacturers

# Technical Drawing S7 (Sliding)\*

Art. 1357, 1358




\* = only for manufacturers



# Technical Drawing S7P (Top Hung)\*

## Art. 1413





\* = only for manufacturers

# Spare Parts S7-Window\*

## Top Hung Window (version until 2002)

	Description	Part No.	Pack. Unit
05	Frame of top hung window, without glazing panel	not available anymore	
10	Glazing panel for top hung window cpl. with assembly parts	BG1352-A	1 pc.
15	Stay complete, right and left handed	BG1353-A	1 pair
20	Repair kit (lock counterpart)	BG1354-A	1 set
25	Handle complete	BG1355-A	1 pc.
30	Seal frame/glazing, length = 5 m	BG1356-A	1 pc.

**Important: When ordering specify - description, quantity, dimensions, part. no., colour of frame, colour of stays, wall thickness.**



Pos 25:  
 Length X:  
 Version until 2002: 20 mm



Pos. 20  
 Version until 2002



\* = only for manufacturers

# Spare Parts S7-Window\*

## Top Hung Window (version from 2003 on)

	Description	Part No.	Pack. Unit
05	Frame of top hung window, without glazing panel	ARE0701	1 pc.
10	Glazing panel for top hung window cpl. with assembly parts	BG1352	1 pc.
15	Click-clack-stay complete, right and left handed, with button at handle	BG1679	1 pair
	Click-clack-stay complete, right and left handed, without button at handle	BG1680	1 pair
	Stay complete, right and left handed, with button at handle	BG1681	1 pair
	Stay complete, right and left handed, without button at handle	BG1682	1 pair
20	Repair kit (lock counterpart)	BG1354	1set
25	Handle complete, with button, left (view from inside)	BG1683	1 pc.
	Handle complete, with button, right (view from inside)	BG1684	1 pc.
	Handle complete, without button, left (view from inside)	BG1692	1 pc.
	Handle complete, without button, right (view from inside)	BG1693	1 pc.
30	Seal frame/glazing, length = 5 m	BG1356	1 pc.

**Important: When ordering specify - description, quantity, dimensions, part. no., colour of frame, colour of stays, wall thickness.**



Pos 25:  
 Length X:  
 Version from 2003 on: 28 mm



Pos. 20  
 Version from 2003 on


\* = only for manufacturers

# Spare Parts S7Z-Window\*

## Top Hung Window

	Description	Part No.	Pack. Unit
05	Frame of top hung window, without glazing panel	ARE07Z01	1 pc.
10	Glazing panel for top hung window cpl. with assembly parts (from 2001 on)***	BG1344	1 pc.
	Glazing panel for top hung window cpl. with assembly parts (until 2000)**	BG1344-A	1 pc.
15	Click-Clack-stay complete, right and left handed (from 2001 on)***	BG1345	1 pair
	Click-Clack-stay complete, right and left handed (until 2000)**	BG1345-A	1 pair
20	Repair kit (sliding cam) (from 2001 on)***	BG1346	1 set
	Repair kit (sliding cam) (until 2000)**	BG1346-A	1 set
25	Handle complete with seal (from 2001 on)***	BG1347	1 pc.
	Handle complete with seal (until 2000)**	BG1347-A	1 pc.
30	Seal frame/glazing, length = 5 m (from 06/2006 on)*****	BG1348	1 pc.
	Seal frame/glazing, length = 5 m (until 05/2006)****	BG1348-A	1 pc.
35	Repair kit (fixed cam complete with seal and screws) (from 2001 on)***	BG1349	1 set
	Repair kit (fixed cam complete with seal and screws) (until 2000)**	BG1349-A	1 set
40	Sliding belt complete (incl. pos. 20) (from 2001 on)***	BG1350	1 set
	Sliding belt complete (incl. pos. 20) (until 2000)**	BG1350-A	1 set

**Important: When ordering specify - description, quantity, dimensions, part. no., colour of frame, colour of stays, wall thickness.**




\* = only for manufacturers

# Spare Parts S7-Window

## Sliding Window

	Description	Part No.	Pack. Unit
05	Sliding window complete with glazing, light grey tinted 059	ARE0702-AG	1
	Sliding window complete with glazing, medium grey tinted	ARE0702-ADG	1
10	Lock complete	BG 1351	1

**Important: When ordering specify - description, quantity, dimensions, part. no., colour of frame, colour of stays, wall thickness.**




\* = only for manufacturers

# Spare parts S7P-Window \*

## Top Hung Window

	Description	Part No.	Pack Unit
5	Frame top hung window, cpl., without glazing panel	ARE0701	1 pc.
10	Glazing panel cpl., with assembly parts	BG2408	1 pc.
15	Click-clack-stays cpl., left and right handed with handle (without safety knob)	BG2409	1 pair
20	Clips (Repair kit)	BG2410	1 set
25	Handles cpl., without safety knob, right hand (view from inside)	BG2411	1 pc.
30	Rubber profile frame/glazing panel, length = 5 m	BG1356	1 pc.

**Important: When ordering specify - description, quantity, dimensions, part. no., colour of frame, colour of stays, wall thickness.**



\* = only for manufacturers